



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

*III. Of the Motion of the Stomach, observ'd in
in a Dog, in July, 1685. By Dr. Christopher Pitt.*

§ 1. **A** Natomists in their Description of Man's Body, tho' they sometimes Make mention of the Motion of the Stomach, (as in Vomiting and in conveying the Meat that is Digested in the Stomach into the Intestines) yet giving no particular Description of it from the Testimony of Sight, I hope it will be no ways impertinent in me to give an Account of it, as it appear'd to me in the Dissection of a Dog, in *July, 1685.*

§ 2. In this Dog I observed that the Peristaltick Motion of the Guts was continued thro' the Stomach ; the Pylorus (that usually appears, after opening the Dog, as high as the Diaphragm) being in every waving brought below the very Bottom of the Stomach, I could manifestly observe a Constriction in the middle of the Stomach, at every Motion Downward, passing it in so as to be able to compress what was contained in its Cavity. And these Motions were as regular and orderly as ever I saw it in the Guts ; and appeared for a long time together ; so that I could the more diligently make my Observations.

§ 3. I have seen the Motion of the Stomach in Two or Three that I have dissected since, so that one may safely conclude it holds true in all.

§ 4. I suppose the Reason that it appear'd so manifestly and long in the First Dog, was because his Stomach being extreamly full, put the Fibres upon some Stretch ; so that they (as all such Bodies do) endeavour'd by their Motion to restore themselves to their former Position.

And

And I am apt to believe that this is one of the main Caules of the Motion of the Stomach and Guts, and that they seldom move but when they have something in their Cavity to distend their Fibres. But I'll not be too bold to make such Deductions till farther Tryals make it appear true or false.

§ 5. The Motion of the Stomach being after this manner, may give us a clearer Account of the Quickness of the Distribution of the Nourishment, than any way I can find that Authors give us : the Meat being no sooner opened by the Spittle and Liquor that we take in, than that it has a free Motion by the Descent of the Pylorus into the Intestines, which is almost *Pleno Flumine*, from the Compression in the Middle of the Stomach.

*IV. Part of a Letter from Mr. Edw. Lhwyd
to Dr. Martin Lister, Fell. of the Coll. of
Phys. and R. S. concerning several regularly
Figured Stones lately found by him.*

I Should have troubled you with some sort of Account of our Travels; which, as you'll find by the inclosed Draughts of figured Stones, has been tolerably successful. The 8, 9, and 15th we found near the *Llan Deilo* in *Caermardhshire*; the 11, 13 17, 19. on the *Severn* Shore in *Glocestershire*; the 14th at *Gold Cliff* in *Monmouthshire*; and all the rest in the Isle of *Caldey*, in this County. The 15th whereof we found great Plenty, must doubtless be referred to the Sceleton of some flat Fish; the 8th and 9th I know not at all what to make of : the rest are *Modioli* or *Vertebrae* of Sea Stars; for I have been long since fully satisfied that all sorts of *Entrochi* and *Asteriae* must be refer'd thither; not that I conclude